GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

Public Services – Water Resources Department – Disciplinary proceedings initiated against Sri A.G.Varapasad, the then Assistant Executive Engineer, Irrigation Section, Mukteswaram, East Godavari District and Eleven (11) others of WR Dept., and (3) officials of R&B Dept under Rule 20 of A.P.C.S (CC&A) Rules, 1991 - Allegations of irregularities in execution of the works Construction of Bridge at Km 3/4 of Ambajipeta to Pulletikurru Road" by R&B Department and "Reconstruction of Trough Aqueduct cum SLR Bridge on Kowsica Drain" by Water Resources Department - Appointment of Presenting Officer- Orders - Issued.

WATER RESOURCES (VIGILANCE-I) DEPARTMENT

G.O.RT.No. 600 Dated: 11-11-2025

Read the following:-

1. G.O.Rt.No.206, WR(VIG.I) Dept., Dated 02.05.2024.
2. G.O.Rt.Nos.207 to 212 & G.O.Rt.Nos.214 to 222, WR(VIG.I) Dept.,Dated.02.05.2024.
3. G.O.Ms.No.32, WR(VIG.I) Dept.,Dated.03.05.2024.
4. G.O.Ms.No.33, WR(VIG.I) Dept.,Dated.03.05.2024.
5. G.O.Rt.No.599, WR(VIG.I) Dept., Dated:11.11.2025.

<< >>

ORDER:

In the G.O.5th read above, orders were issued appointing Sri K.Narasimha Murthy, Engineer-in-Chief (Irrigation), Vijayawada, as Inquiring authority under rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991, to conduct enquiry into the charges framed against Sri A.G,Varapasad, the then Assistant Executive Engineer, Irrigation Section, Mukteswaram, East Godavari District and Eleven (11) others of WR Dept., and (3) officials of R&B Dept. on the Allegations of irregularities in execution of the works Construction of Bridge at Km 3/4 of Ambajipeta to Pulletikurru Road" by R&B Department and"Reconstruction of Trough Aqueduct cum SLR Bridge on Kowsica Drain" by
Water Resources Department.

2. And whereas, it is considered that, a Presenting Officer should be appointed to present on behalf of the disciplinary authority the case, in support of the articles of charges.

3. Now, therefore, the disciplinary authority in exercise of the powers conferred by clause (c) of sub-rule (5) of Rule 20 of APCS (CCA) Rules, 1991, hereby appoint Sri Shyam Prasad, CE, (Projects) Ongole as Presenting Officer.

(PTO)

4. The Presenting Officer is requested to approach the Inquiring Authority with original records pertaining to the case along with present address of the Charged Officers so as to enable the Inquiry Authority to commence enquiry proceedings immediately. The Present Officer is requested to acquaint the case himself thoroughly and present the case on behalf of the disciplinary authority before the Inquiring Authority.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

G SAI PRASAD
SPECIAL CHIEF SECRETARY TO GOVERNMENT

To
Sri Shyam Prasad, Chief Engineer, (Projects) Ongole and Presenting Officer (through the Engineer-in-Chief (AW), Water Resources Department, D.No:48-10-9/1, N.H. Feeder Road,Currency Nagar, Vijayawada)
All the Twelve (12) Charged Officers of the Water Resources Dept.& three (3) COs of the TR &B Dept (through the Engineer-in-Chief (AW), Water Resources Department, Currency Nagar, Vijayawada)
The three (3) COs of the TR &B Dept (through TR &B Department, 5th building, A.P. Secretariat.)(with a request to serve the Copy)
Copy to:-
The Engineer-in-Chief (AW), Water Resources Department, D.No:48-10-9/1, N.H. Feeder Road, Currency Nagar, Vijayawada.
Sri K.Narasimha Murthy, Engineer-in-Chief (Irrigation), Vijayawada (through the Engineer-in-Chief (AW), WRD, Currency Nagar, Vijayawada)
The TR &B Department, 5 building, A.P. Secretariat.
Sc/Sf.

//FORWARDED:: BY ORDER//

SECTION OFFICER